

**A**

acre, 95  
 acute angle, 13–18, 21, 22, 27, 35  
 acute triangle, 28, 35, 36  
 algebraic expressions,  
   simplifying, 360, 362  
 amortization period, 448, 449  
   adjusting, 461, 462  
 amortization table, 449  
   creating with *Microsoft Excel*,  
   456–458  
 angle of depression, 11, 30  
 angle of elevation (*also* angle of  
 inclination), 7  
 angles,  
   acute, 13–18, 21, 22, 27, 35  
   measuring in triangles, 6, 7,  
   45, 53  
   obtuse, 13–18, 20–22, 27, 35  
   right, 2, 4–7  
 annual interest rate,  
   407, 412, 462  
 annuity,  
   amount of, 410–414  
   calculating amounts of,  
   409–414, 467  
   investigating with *Microsoft*  
   *Excel*, 433–438  
   present value of, 419–422  
   regular payment of, 426–429  
 arboriculture, 4  
 area, 61  
   finding optimals with  
   graphing calculator, 87  
   finding optimals with  
   manipulatives, 87  
   finding optimals with  
   spreadsheets, 97–99  
   of a circle, 353  
   of a composite figure, 67–69,  
   119  
   of a rectangle, 79  
   of a triangle, 79, 343, 344  
 average rate of change, 279–281,  
 331

**B**

balance, 496, 506  
 bar graph, 126, 130

base of a power, 360, 374,  
 381, 399  
 base value, 234  
 bearing, 6  
 bias, 211–213, 225, 227  
 budget, 493–500, 519  
   adjusting, 507  
   balancing, 496, 497  
   creating with *Microsoft Excel*,  
   505–508

**C**

capacity, 63  
 cause-and-effect relationships,  
   141, 142, 228  
 centimetre (cm), 3  
 centimetre cubed (cm<sup>3</sup>; *also*  
 cubic centimetre), 64, 118  
 centimetre squared (cm<sup>2</sup>; *also*  
 square centimetre), 81  
 circle,  
   area of, 61, 353  
   circumference (*also*  
   perimeter) of, 61, 62  
   enclosing areas of, 93  
 circle graph, 127  
 circumference, 62  
 clinometer, 4  
 composite figure, 67–69, 119  
 composite object, 76–81, 119  
 compound interest, 406, 407  
 computer algebra system (CAS),  
 359  
 cone,  
   volume of, 377  
 conjecture, 176  
 Consumer Price Index, 234, 235  
 correlation, 228  
   negative, 140, 185  
   positive, 140, 185  
 correlation coefficient, 161,  
 174, 228  
 cosine (cos), 5, 14–18, 35–37, 53  
   signs of, 20–22  
 Cosine Law, 35–37, 53  
   solving oblique triangles  
   with, 42–46  
 costs, 474, 488–491  
 cube root, 354

cubic feet, 64, 77  
 cylinder,  
   surface area of, 65, 77  
   volume of, 64, 77, 345

**D**

data,  
   applying trends in, 328–330  
   collecting by experimentation,  
   180–184  
   E-STAT, 169–171, 176–178  
   graphing with TI-83/84  
   graphing calculator, 159–164  
   linear, 151, 152  
   mean, 193  
   median, 193  
   mode, 193  
   non-linear, 151  
   one- and two-variable,  
   130–133  
   range, 193  
   reliability of, 151  
   setting a regression model to,  
   319–322  
   spread of, 151  
   statistics, 196–200  
 decay factor, 320  
 dependent variable, 139, 140,  
 174, 220, 279, 283, 290

**E**

equivalent ratio, 192  
 E-STAT,  
   analysing data from,  
   169–171, 176–178  
   living costs data, 488–491  
   price indices, 241–245  
 expenses, 494–500, 505–508, 519  
   predicted vs. actual, 496  
 exponent rules, 360, 399  
   for rational exponents, 373  
 exponential decay, 266, 267, 390  
 exponential equations (*see also*  
 formulas), 380–383  
   applications of, 387–390  
 exponential growth, 266, 311,  
 390  
 exponential regression,  
   fitting to data, 314

exponential relations, 266,  
310–314, 331, 320  
comparing pairs of, 313  
exponents (*see* integer exponents)  
extrapolation, 150, 162, 185

## F

*Fathom*, 172–179  
financial mathematics,  
researching courses and  
occupations, 516–518  
financial savings, 476  
first differences, 282, 283, 289,  
290, 299, 300, 331, 320  
fixed cost, 474, 497, 519  
fluid ounce, 63  
foot, 3, 60  
formulas (*see also* exponential  
equations), 342–345  
Euler's, 349  
for amount, 427, 428  
for amount of an ordinary  
simple annuity, 411  
for body surface area, 347  
for compound interest, 406  
for density, 346  
for present value, 427, 428  
for pressure, 346  
for simple interest, 406  
for speed of animals, 372  
for speed of sound in air, 346  
for surface area of a tank, 347  
for temperature conversion,  
346, 350, 352  
for volume of wood in a log,  
349, 358  
Heron's, 343  
involving powers, 353, 354  
rearranging, 350–354, 399  
relations in, 300, 301  
Young's, 343

## G

gallon, 63, 118  
*Geometer's Sketchpad*,  
exploring trigonometric ratios  
with, 13–16  
investigating optimal measures  
with, 103, 104  
graphs, 126–128  
assessing data accuracy with,  
225, 226

bar, 126, 130  
circle, 127  
extrapolation, 150, 162  
histogram, 126  
interpolation, 150, 151  
line, 28  
line of best fit, 148–152  
relations and trends in, 266,  
269–272  
scatter plots, 127, 130,  
138–142, 148–152  
slope, 266  
solving exponential equations  
with, 383  
growth/decay factors, 311, 312,  
331, 387–390

## H

histogram, 126  
hypotenuse, 2, 5, 14, 17, 53

## I

imperial units of capacity, 63  
imperial units of length, 60  
inch, 3, 60  
income, 494–500, 505–508, 519  
independent variable, 139, 140,  
174, 220, 279, 283, 290  
indices (*also* indexes), 233–236, 250  
and E-STAT, 241–245  
indirect measurement, 41  
inflation, 235  
integer exponents, 340, 358–362,  
399  
patterns in, 366–368  
interest (investment), 406  
cost of mortgage, 461–465  
interpolation, 150, 151, 185  
inverse operations, 350, 366, 367  
of squaring, 338, 399  
inverse trigonometric ratios, 6,  
22, 53  
isosceles triangles, 70

## K

kilometre (km), 3, 60

## L

landlord, 481, 482  
length,  
measuring in triangles, 5, 7,  
44, 53

units of, 3, 60  
linear data, 151, 152  
linear equation (*see also*  
formulas),  
solving, 339  
linear growth, 311  
linear regression, 291–293  
linear relation, 266, 288–293, 331  
rate of change, 281  
*vs.* exponential relations, 311  
line graph, 128  
line of best fit (*also* least-square  
line; regression line; trend  
line), 148–152, 161, 170,  
174, 185  
litre (L), 63

## M

margin of error, 200  
mathematical modelling,  
researching courses and  
occupations, 396–398  
mathematical models,  
exponential, 310–314, 331  
linear, 288–292, 331  
quadratic, 298–302, 331  
mean, 193  
median, 134, 193, 197, 198, 489  
metre (m), 3, 60  
metre squared (m<sup>2</sup>; *also* square  
metre), 81  
metric units of capacity, 63  
metric units of length, 60  
*Microsoft Excel*,  
analysing scatter plots with,  
166–171  
creating amortization tables  
with, 456–458  
creating budgets with,  
505–508  
investigating annuities with,  
433–438  
investigating optimal areas  
and optimal perimeters with,  
97–100  
investigating optimal surface  
areas with, 115–118  
mile, 3, 60  
millilitre (mL), 63  
millimetre (mm), 3, 60  
mode, 193  
mortgage, 443–444, 467, 481, 482  
amortizing, 446–450, 456–458

reducing interest costs of,  
461–465

## N

negative correlation, 140, 185,  
220  
negative integer exponent, 340,  
399, 360, 361  
negative slope (*see also* negative  
correction), 128  
net, 75  
net income, 493  
non-linear relation, 290, 299–302  
average rate of change, 281  
non-random sampling, 211

## O

oblique triangle, 28  
solving with Cosine and Sine  
Laws, 42–46  
obtuse angle, 13–18, 20–22, 27, 35  
obtuse triangle, 28, 35, 36  
one-variable data, 131–133  
optimizing dimensions, 87–93,  
103–110, 119  
investigating with  
*Geometer's Sketchpad*,  
103, 104  
investigating with *Microsoft  
Excel*, 97–100, 115–118  
investigating with TI-83/84  
graphing calculator, 87, 88,  
91, 92, 109, 110  
with constraints, 89, 90, 91,  
107, 108, 119  
ordinary simple annuity, 410,  
411, 467  
present value of, 420  
outlier, 149, 150, 163, 185

## P

parabola, 266, 299  
parabola of best fit, 301, 302  
parallelogram,  
area of, 61, 68, 69  
perimeter of, 61  
percent increase/decrease, 194  
percentiles, 197, 198  
perfect squares, 338  
perimeter, 61  
finding optimals with  
graphing calculators, 88

finding optimals with  
manipulatives, 87  
finding optimals with  
spreadsheets, 100  
pint, 63  
polls, 200  
positive correlation, 140, 185, 228  
positive integer exponent, 340,  
360, 361, 399  
positive slope (*see also* positive  
correlation), 128  
power, 353, 354, 380–383  
dividing, 359, 399  
multiplying, 358, 359, 399  
of a power, 358, 359, 374, 399  
with rational exponents, 374  
present value, 407, 427, 428, 467  
of an annuity, 419–422  
price indices (*also* price indexes),  
233–236, 250  
on E-STAT, 242–245  
primary trigonometric ratios,  
5, 13–18, 53  
signs of, 20–22  
principal, 406, 407, 412  
prisms,  
surface area of, 65  
volume of, 64  
property (home),  
costs of renting vs. purchasing,  
477–483, 511–513, 519  
Pythagorean Theorem, 2, 80

## Q

quadrants, 13–17, 21, 22  
quadratic regression, 301, 302  
quadratic relations, 266, 298–302,  
321, 322, 331  
quart, 63  
quartiles, 197, 198

## R

random sampling, 211  
range, 193  
rate of change, 278–283  
in a linear model, 289, 331  
ratio, 192  
rational exponents, 366–368,  
372–375, 399  
reciprocal, 340, 360  
rectangle,  
area of, 61, 68–70, 79

enclosing areas of, 93  
finding optimal dimensions  
of, 90  
perimeter of, 61  
rectangular prism,  
optimizing dimensions of,  
105–108  
volume of, 79, 345  
Registered Education Savings  
Plan (RESP), 439–441  
Registered Retirement Savings  
Plan (RRSP), 439–441  
regression equation,  
for exponential model, 311,  
314, 331  
for linear model, 289, 292,  
293, 331  
for quadratic model, 299,  
302, 331  
rent, 477–483  
representative sample, 211,  
213, 227  
Residential Tenancies Act, 482  
right triangle, 2, 35, 70  
trigonometric ratios, 4–7  
root (*see* cube root; square root)

## S

sample size, 211, 213, 227  
savings, 495–500  
scatter plot, 127, 130  
analysing using *Fathom*,  
172–179  
analysing using *Microsoft  
Excel*, 166–171  
graphing with TI-83/84  
graphing calculator, 159–164  
identifying relationships with,  
138–142  
line of best fit, 148–152, 161,  
170, 174  
outlier, 149, 150, 163  
second differences, 299, 300, 320,  
331  
semi-annual interest rate, 407  
semicircle,  
area of, 68, 69  
simple interest, 406  
sine (sin), 5, 14–18, 27–30, 53  
signs of, 20–22  
Sine Law, 27–30, 34, 53  
solving oblique triangles with,  
42–46

- vs. Cosine Law, 36
- slope of a line graph, 128, 185, 266
- sphere,
  - volume of, 353
- square feet, 95
- square root, 338, 353
- statistics, 196–200
  - in the media, 206, 207
  - researching courses and occupations, 246–248
  - uses and misuses of, 223–228
- supplementary angles, 20–22, 53
- surface area,
  - of a composite object, 80, 81
  - of cylinders and prisms, 65, 77
  - optimizing for a cylinder, 105, 106
  - optimizing for a rectangular prism, 105–108
- surveys, 208–213, 227
- systematic trial,
  - solving exponential equations with, 382

## T

- tangent ( $\tan$ ), 5–7, 14–18, 53, 70
  - signs of, 20–22
- tenant, 481, 482
- TI-83/84 graphing calculator,
  - analysing scatter plots with, 159–164
  - calculating annuities with, 412–414
  - investigating optimal areas and optimal perimeters with, 87, 88, 91, 92
  - investigating optimal surface area with, 109, 110
  - solving exponential equations with, 383, 388–390
- time management, 66
- Time Value of Money (TVM) Solver,
  - calculating annuities with, 412–414, 421, 429, 467

- calculating mortgages with, 448
- torus, 346
- trapezoid,
  - area of, 61
  - perimeter of, 61
- trends in graphs, 269–272
- triangle measure,
  - angle-angle-side (AAS), 28, 43, 46, 53
  - angle-side-angle (ASA), 29, 43, 44, 53
  - side-angle-side (SAS), 36, 43, 46, 53
  - side-side-side (SSS), 37, 43, 45, 53
- triangles,
  - acute, 28, 35, 36
  - area of, 61, 70, 79, 343, 344
  - Cosine Law in, 35–37
  - measuring angles and lengths in, 4–7
  - methods to solving, 43
  - oblique, 42–46
  - obtuse, 28, 35, 36
  - perimeter of, 61
  - right angle, 2, 35
  - Sine Law in, 27–30
  - solving, 9
- triangular prism,
  - volume of, 79
- trigonometric ratios,
  - exploring with *Geometer's Sketchpad*, 13–16
  - exploring with pencil and paper, 17, 18
  - in right triangles, 4–7
  - of supplementary angles, 20–22, 53
- trigonometry,
  - determining unknown lengths with, 70
  - researching applications of, 50–52
- two-variable data, 131–133

- cause-and-effect relationships, 141, 142
- collecting by experimentation, 180–184
- collection by survey, 218–221
- in scatter plots, 139–142

## U

- unit conversions of capacity, 63
- unit conversions of length, 3, 60
- utilities, 481, 495

## V

- valid conclusion, 225
- variable, 131
  - dependent, 139, 140
  - independent, 139, 140
  - isolating in formulas, 351, 352
- variable cost, 474, 497, 519
- volume,
  - of a composite object, 77–79
  - of a cone, 377
  - of cylinders and prisms, 64, 77, 345
  - of a rectangular prism, 79, 345
  - of a sphere, 353, 354
  - of a torus, 346
  - of a triangular prism, 79
  - optimizing for a cylinder, 105, 106
  - optimizing for a rectangular prism, 105–108

## Y

- yard, 3, 60

## Z

- zero exponent, 340, 360, 361, 399